1712 IFW

F E Application No.: 09/734637

Docket No.: 00306-00141-USU

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Greg Volgas et al.

Application No.: 09/734637

Group Art Unit: 1712

Filed: December 12, 2000

Examiner: D. S. Metzmaier

For: MANUFACTURE AND USE OF AN

DEPOSITION AID

COMMUNICATION

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Applicants filed an Amendment In Response To Non-Final Office Action and three-month Petition For Extension Of Time n September 30, 2004. Enclosed with the Amendment was a copy of the AAPFCO guide, 1998, (Association of American Plan Food Control Officials Publication Number 51). Applicants found that the reference was incomplete. Attached hereto is the complete copy of the AAPFCO guide, 1998, (Association of American Plan Food Control Officials Publication Number 51).

Application No.: 09/734637 Docket No.: 00306-00141-USU

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 03-2775, under Order No. 00306-00141-USU.

Respectfully submitted,

Ashley I. Pezzner

Registration No.: 35,646

CONNOLLY BOVE LODGE & HUTZ LLP


1007 North Orange Street

P.O. Box 2207

Wilmington, Delaware 19899

(302) 658-9141

Attorney for Applicant



plication No. (if known): 09/734637

Attorney Docket No.: 00306-00141-USU

Certificate of Mailing under 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

> Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Signature

J. Lynn Ferry

Typed or printed name of person signing Certificate

Note: Each paper must have its own certificate of mailing, or this certificate must identify each submitted paper.

Communication.

OFFICIAL PUBLICATION

American Plant Food Control Officials Association of



Published by Association of American Plant Food Control Officials, Inc. West Lafayette, Indiana

Copies may be purchased from

Joel M. Padmore, Treasurer NC Dept. of Agriculture 4000 Reedy Creek Road Raleigh, NC 27607-6468

BEST AVAILABLE COPY

5 OFFICIAL PUBLICATION NO.

26

insolubility of polymers, natural nitrogenous organics, protein materials, or other chemical forms), by slow hydrolysis of water soluble low molecular weight compounds, or by other unknown means. (Official 1985)

- <u>Hydroponics</u> A system in which water soluble nutrients are placed in intimate contact with the plant's root system, being grown in an inert supportive medium which supplies physical support for the roots but which does not add or subtract plant nutrients. (Official 1986) T-30
 - Continuous liquid feed · The external application of water soluble nutrients in the irrigation water every time the plant requires water. (Official 1986) T-31.
- Polymer Coated Fertilizer is a coated slow release tertilizer consisting of fertilizer particles coated with a polymer (plastic) resin. It is a source of slowly available plant nutrient(s). (Official 1990) T-32.
- Composting The biological decomposition of organic matter. It is accomplished by mixing and piling in such a way to promote aerobic and/or anaerobic decay. The process inhibits pathogens, viable weed seeds, and odors. (Official 1997) T-33.
 - Compost. A biologically stable material derived from the composting process. (Official 1991) T-34.
- <u>Natural Inorganic Fertilizer</u> A mineral nutrient source that exists in or is produced by nature and may be altered from its original state only by physical manipulation. (Official 1993) T-35.
 - <u>Natural Fertilizer</u> A substance composed only of natural organic and/or natural inorganic fertilizer materials and natural fillers. (Official 1993) T-36.
- Potting Soil A material suitable for holding and growing potted plants and usually made from natural materials. It may include tertilizers, pesticides and/or soil amendments. (Official 1993) T-37.
- Natural Base Fertilizer A mixed fertilizer where more than half of the fertilizer materials is natural and where more than half of the sum of the guaranteed primary nutrient percentages is derived from natural materials. (Official 1995) T-38.
 - Organic Base Fertilizer A mixed fertilizer where more than half of the fertilizer materials is organic and where more than half of the sum of the guaranteed primary nutrient percentages is derived from organic materials. (Official 1995) T-39.
- Nitrogen Stabilizer A substance added to a fertilizer which extends the time the nitrogen component of the fertilizer remains in the soil in the ammoniacal form. (Official 1994) T-40.
 - (Official Stabilized Nitrogen Fertilizer - A fertilizer to which a nitrogen stabilizer has been added. 1994) T-41.
- Sphagnum Peat Moss A material obtained from a sphagnum peat deposit (bog) of which an oven dried sample contains a minimum of 66 2/3% sphagnum moss fiber by weight. Those fibers shall be stems and leaves that have recognizable fibrous and cellular structure. (Official 1995) T-42.
 - Foliar Fertilization The practice of applying plant nutrients primarily for direct absorption by the above ground portions of the plant. (Official 1996) 7-43
- Ready To Use Liquid Fertilizer A liquid fertilizer requiring no user mixing or dilution prior to application. (Official 1997) T-44.
- <u>Urease Inhibitor</u> A substance which inhibits hydrolytic action on urea by urease enzyme. When applied to soils a urease inhibitor results in less urea nitrogen lost by ammonia volatilization. (Official 1997) T-45.

ASSOCIATION OF AMERICAN PLANT FOOD CONTROL OFFICIALS

- normal butyl derivative of 94317-64-3, N-(n-butyl) Š Š that is 1 (CAS 1 N-(n-butyl) thiophosphoric triamide (NBPT) - A compound thiophosphoric triamids and is a urease inhibitor. phosphorothiole triamide). (Official 1997) T-46.
- <u>Greensand</u> The naturally occurring mineral, glauconite, which is a hydrated silicate of iron and potassium. (Official 1997) T-47.
- material produced by wastewater treatment processes and soil amending that can be beneficially recycled for its plant nutrient content characteristics.] (Tentative 1997) Biosolids - A primary organic solid 17-48

DEFINITIONS

NITROGEN PRODUCTS

- <u>Ammoniated Superphosphate</u> is a product obtained when superphosphate is treated with ammonia or with solutions which contain ammonia and other compounds of nitrogen. The guaranteed percentages of nitrogen and of Available Phosphate shall be stated as part of the name. (Official ż
 - <u>Ammonium Nitrate</u> is chiefly the ammonium salt of nitric acid. It shall contain not less than thirty-three percent (33%) nitrogen, one-half of which is in the ammonium form and one-half in the nitrate form. (Official 1951) ې ک
- Calcium Nifrate is chiefly the calcium salt of nitric acid. It shall contain not less than fifteen percent 15%) nitrate nitrogen. (Official 1951) Ë
- Nitrate of Polash (potassium nitrate) is chiefly the potassium salt of nitric acid. It shall contain not less than twelve percent (12%) nitrogen and forty-four percent (44%) Soluble Potash. (Official 1951) **Z**
 - Nitrate of Soda (sodium nitrate) is chiefly the sodium salt of nitric acid. It shall contain not less than sixteen percent (16%) nitrate nitrogen and twenty-six percent (26%) sodium. (Official 1952) ś
- Nitrate of Soda and Polash (sodium and potassium nitrate) is chiefly the sodium and potassium satts of nitric acid. It shall contain not less than fitteen percent (15%) nitrate nitrogen, ten percent (10%) soluble potash and eighteen percent (18%) sodium. (Official 1952) lt shail ÿ
 - Sulfate of Ammonia (ammonium sulfate) is chiefly the ammonium salt of sulfuric acid. contain not less than twenty and five-tenths percent (20.5%) nitrogen. (Official 1951) ž
- Ammonium Sulfate Nitrate is a double salt of ammonium sulfate and ammonium nitrate which are present in equal molecular proportions. It shall contain not less than twenty-six percent (26%) nitrogen, one-fourth of which is in nitrate form and three-fourths in the ammonium form. (Official 1954) Ä.
 - , (acidulated fish scrap) is the rendered product derived from fish and (Official 1950) Acidulated Fish Tankage treated with sulfuric acid. 6 2
- Activated Sewage Products are those made from sewage freed from grit and coarse solids and aerated after being inoculated with micro organisms. The resulting flocculated organic matter is withdrawn from the tanks, filtered with or without the aid of coagulants, dried, ground and screened. Official 1950) Ŗ-10
- Bat Guano is partially decomposed bat manure. (Official 1951)

- Cyanamide is a commercial product consisting principally of calcium cyanamide (CaNCN) and carbon and it shall contain not less than nineteen and five tenths percent (19.5%) nitrogen. (Olfficial N-12.
- Dried Blood is the collected blood of slaughtered animals, dried and ground and containing not less than twelve percent (12%) nitrogen. (Official 1950) N-13
- Animal Manures are the excreta of animals together with whatever bedding materials are needed to follow good dairy barn, feedlot, poultry house, etc., practice in order to maintain proper sanitary conditions. (Official 1991) ₹. 14.
- Garbage Tankage is the rendered, dried and ground product derived from waste household food materials. (Official 1951) N-15.
- Hoof and Horn Meal is processed dried, ground hoofs and horns. (Official 1951) N-16.
- It is composed chiefly of organic Peat is partly decayed vegetable matter of natural occurrence. matter that contains some nitrogen of low activity. (Official 1951) <u>7</u>.7
- Fish Tankage (fish scrap, dry ground fish, fish meal fertilizer grade) is the dried ground product derived from rendered or unrendered fish. (Official 1950) N-18.
- hese products shall be called "Process Tankage" with or without further qualification. The water insoluble nitrogen in these products shall test at least fifty percent (50%) active by the alkaline, or Process Tankage is a product made under steam pressure from crude inert nitrogenous materials, or without the use of acids or bases, for the purpose of increasing the activity of nitrogen. sighty percent (80%) by the neutral permanganate method. (Official 1994) N-19
- <u>Tankage</u> (without qualification) is the rendered, dried, and ground by-product, largely meat and bone from animals (slaughtered or that have died otherwise). (Official 1950) N-20.
- Sheep Manure Wool Waste is the by-product from wool-carding establishments consisting chiefly of sheep manure, seeds, and wool fiber. (Official 1951) N-21.
- <u>Crude, Inert, or Slow-Acting Nitrogenous Materials</u> are unprocessed organic substances relatively high in nitrogen but having a very low value as plant food and showing a low activity by both the alkaline and neutral permanganate methods, (below 50% and 80% respectively). (Official 1964) N-22.
- Urea is the commercial synthetic acid amide of carbonic acid and it shall contain not less than fortyive percent (45%) nitrogen. (Official 1966) N-23.
- <u>Ureaform Fertilizer Materials (sparingly soluble)</u> are reaction products of urea and formaldehyde which contain at least thirty-five percent (35%) nitrogen, largely in insoluble but slowly available The water insoluble content shall be at least sixty percent (60%) of the total nitrogen. The water insoluble nitrogen in these products shall have an activity index of not less than forty percent (40%) when determined by the appropriate AOAC International method. (Official 1984) N-24.
- the total nitrogen. The activity index of the water insoluble nitrogen shall be either (1) not less than torty percent (40%) by the AOAC International method for Urea-formaldehyde Products or (2) not less than fifty percent (50%) by the AOAC International alkaline permanganate method or eighty <u>Urea-Formaldehyde Products (sparingly soluble)</u> are reaction products of urea and formaldehyde which contain less than thirty-five percent (35%) nitrogen, largely in insoluble but slowly available torm. They shall have the percentage of total nitrogen as part of the product name; for example: 20% N Urea-Formaldehyde. The water insoluble Nitrogen shall be at least sixty percent (60%) of percent (80%) by the neutral permanganate method. (Official 1984) N-25.
- Isobutylidene Diurea A condensation product of isobutyraldehyde and urea having a minimum to the total nitrogen content of thirty percent (30%). It is a source of slowly available nitrogen by virtue of Material conforming particle size, solubility decreasing with increase in particle size. N-26.

ASSOCIATION OF AMERICAN PLANT FOOD CONTROL OFFICIALS

- content in the 945.01 (15th description of a "granular fertilizer" will have ninety percent (90%) of its nitrogen water- insoluble form prior to grinding as tested by AOAC international Method Edition). (Official 1986)
- Sulfur Coated Urea (SCU) A coated slow release fertilizer consisting of urea particles coated with sulfur. The product is usually further coated with a sealant (2% to 3% of total weight) and a conditioner (2% to 3% of total weight). It typically contains about thirty percent (30%) to forty percent (40%) nitrogen and about ten percent (10%) to thirty percent (30%) sulfur. (Official 1980) N-27.
- Urea-Formaldehyde Products (water soluble) are reaction products of urea and formaldehyde which contain at least thirty percent (30%) nitrogen, largely in water soluble form. Some slowly available nitrogen products are present. Stable aqueous solutions may be prepared from these materials. The reaction products shall contain a maximum of fifty-five percent (55%) free urea, with the remainder of the urea being chemically combined as methylolureas, methylolurea ethers, and/or methylenediurea (MDU) and dimethylenetriurea (DMTU). (Official 1984) N-28.
- molecule of formaldehyde with two molecules of urea, with the elimination of one molecule of water. It has a minimum total nitrogen content of forty-two percent (42%) and is a source of slowly <u>Methylenediurea (MDU)</u> is a water soluble condensation product resulting from the reaction of on available nitrogen. (Official 1984) N-29.
- <u>Dimethylenetriurea (DMTU)</u> is a water soluble condensation product resulting from the reaction of two molecules of formaldehyde with three molecules of urea, with the elimination of two molecules of water, and having a minimum total nitrogen content of forty-one percent (41%). It is a source of slowly available nitrogen. (Official 1984) N-30
- Dicyanodiamide (cyanoguanidine) is a water soluble organic compound of formula C₂H₄N₄ which contains at least sixty-five percent (65%) nitrogen. It is a source of slowly available nitrogen. Official 1985) N-31.
- Polymer Coated Urea (PCU) is a coated slow release fertilizer consisting of urea particles coated with a polymer (plastic) resin. It typically contains about forty percent (40%) nitrogen. It is a source of slowly available nitrogen. (Official 1990) N-32.
- mpound of formula C₃H₇N₃O which contains at least forty-one (CAS No. 7098-14-6, 1,3,5-triazin-2-one, tetrahydro-S-triazone.) compound of Triazone is a water soluble con percent (41%) total nitrogen. (Official 1989) N-33.
- <u>Melamine</u> is a sparingly soluble organic compound of formula C₃H₅N₅ which contains at least sixty-six percent (66%) nitrogen. (CAS No. 108-78-1 2,4,6-triamino-1,3,5-triazine,triamino-s-triazin (Official 1989) N-34.
- Urea-Triazone Solution is a stable solution resulting from controlled reaction in aqueous medium of urea, formaldehyde, and ammonia which contains at least twenty-five percent (25%) total The solution shall contain no more than forty percent (40%) nor less than five percent (5%) of total nitrogen from unreacted urea and not less than forty percent (40%) from triazone. All other nitrogen shall be derived from water soluble, dissolved reaction products of the above reactants. It is a source of slowly available nitrogen. (Official 1990) N-35
- contains twenty-eight to thirty-two percent nitrogen (28%-32%). It is a source of slowly available nitrogen. Oxamide (fertilizer grade) is the diamide of oxalic acid of the formula C2H4N2O2 which (Official 1990) N-36.
- nium Thiosulfate (fertilizer grade) is a commercial product composed principally of (NH4). The guaranteed percentages of nitrogen and sulfur shall be stated as part of the name. Ammonium Thiosulfate S₂O₃. The guaranteed (Official 1990) N-37.

BEST AVAILABLE COPY

, ₀

PHOSPHATE PRODUCTS (P₂O₅)

- Phosphate is the amount of pentavalent phosphorus (P(V)) present in the material calculated as phosphorus pentoxide (P₂O₅). (Official 1997) ٩.
- Available Phosphate is the sum of the water soluble and the citrate-soluble phosphate. (Official P-2
- Ammoniated Superphosphate is a product obtained when superphosphate is treated with ammonia percentages of nitrogen and of available phosphate shall be stated as part of the name. (Official The guaranteed or with solutions which contain ammonia and other compounds of nitrogen. P.3
- diammonium phosphate or a mixture of these two salts. The guaranteed percentage of nitrogen <u>Ammonium Phosphate</u> (fertilizer grade) is a product obtained when phosphoric acid is treated with ammonia (anhydrous or aqueous), and consists principally of monoammonium phosphate and and of available phosphate shall be stated as part of the name. (Official 1993) P.4.
- <u>Ammonium Phosphate-Sulfate</u> (fertilizer grade) is a product obtained when a mixture of phosphoric acid and sulfuric acid is treated with ammonia. It consists principally of a mixture of ammonium phosphate and ammonium sulfate. The guaranteed percentages of nitrogen and of Available Phosphate shall be stated as a part of the name. (Official 1993) P.5
- Basic Lime Phosphate (lime-based superphosphate) is a superphosphate to which liming materials have been added in a quantity at least six percent (6%) calcium carbonate equivalent in excess of the quantity required to convert all water soluble phosphate to the citrate-soluble form. (Official P-6.
- Basic Phosphate Stag is a by-product obtained in the manufacture of steel from phosphatic iron ores. The product shall contain no admixture of materials other than those resulting from the original process of manufacture. It shall contain not less than twelve percent (12%) of total phosphate, of which at least eighty percent (80%) shall be available phosphate. It shall be ground so that not less than seventy percent (70%) of the material passes through a U. S. Standard No. 100 sieve (150 um opening) and ninety percent (90%) passes through a U. S. Standard No. 50 sieve (300 um opening). Any basic phosphate stag not conforming to this definition shall be designated low phosphate. (Official 1993) P-7.
- soluble in a solution of citrate of ammonia according to the method adopted by the AOAC Citrate-Soluble Phosphate is that part of the total phosphate in a fertilizer that is insoluble in water International. (Official 1993) Ē ٩. ف
- Dicalcium Phosphate is a manufactured product consisting chiefly of dicalcic salt of phosphoric acid. (Official 1951) 9. 9.
- Acidulated Bone is ground bone or bone meal that has been treated with sulfuric acid. (Official 1951) P-10
- Ground Raw Bone is ground animal bones that have not been previously steamed under pressure, heated, or otherwise manipulated. (Official 1984) P-11.
- Bone Meal is ground animal bones that have been previously steamed under pressure, heated, or rendered sterile in some other acceptable manner. (Official 1997) P-12.
- <u>Phosphate Rock</u> is a natural rock containing one or more calcium phosphate minerals of sufficient purity and quantity to permit its use, either directly or after concentration, in the manufacture of commercial products. (Official 1952) P-13.

ASSOCIATION OF AMERICAN PLANT FOOD CONTROL OFFICIALS

- Precipitated Phosphate is a product consisting mainly of dicatcium phosphate obtained by neutralizing with calcium hydroxide the acid solution of either phosphate rock or processed bone. P-14.
- Superphosphate is a product obtained when rock phosphate is treated with either sulfuric acid, phosphoric acid, or a mixture of those acids. The guaranteed percentage of available phosphate shall be stated as a part of the name. (Official 1993) P-15.
- Soft Phosphate with Colloidal Clay is a very finely divided low- analysis by-product from mining Florida rock phosphate by a hydraulic process in which the colloidal materials settle at points in artificial ponds and basins farthest from the washer, and are later removed after the natural evaporation of the water. (Official 1951) P-16.
- <u>Calcium Metaphosphate</u> is a vitreous product substantially free from crystalline phosphates, resulting from the treatment of phosphate rock with gaseous phosphorus pentoxide at high temperatures. The guaranteed percentage of available phosphate shall be stated as part of the name. (Official 1993) P-17.
- may contain several species such as orthophosphates, pyrophosphates, and polyphosphates containing three (3) or more phosphorus atoms, commonly known as tripolyphosphates or Polyphosphates is a general term pertaining to salts of any of a series of polyphosphoric acids, whose molecular structure contain two or more phosphorus atoms linked by oxygen. Solutions letrapolyphosphates and water. (Official 1976) P-18
- Superphosphoric Acid is the acid form of polyphosphates, consisting of a mixture of orthophosphoric and polyphosphoric acids. Species distribution varies with concentration, typically sixty-eight to eighty-three percent (68 to 83%) P2Os. (Official 1976) P-19.
- catalysts or reagents, sufficient to volatilize and remove most or all organic, carbonate, fluoride and depending on the process. A significant portion of the phosphate is citrate soluble and such Included are products known as fused other impurities, and/or thermally altered to more available calcium phosphate compounds, tricalcium phosphate, defluorinated phosphate, rhenania phosphate and various trade names. Calcined Phosphate is phosphate rock which has been heated, with or without percentage shall be stated as part of the brand name. (Official 1994) P-20.
- DAP (fertilizer grade) is a product composed of ammonium phosphates, principally diammonium phosphate, resulting from the ammoniation of phosphoric acid. It may contain up to 2% nonammoniacal nitrogen. The guaranteed percentage of nitrogen and available phosphate shall be stated as part of the name. (Official 1993) P-21.
- monoammonium phosphate, resulting from the ammoniation of phosphoric acid. The guaranteed percentage of nitrogen and available phosphate shall be stated as part of the name. (Official 1991) P-22.
- nitrogen, thirteen percent (13%) magnesium and forty percent (40%) available phosphate. It is a orthophosphoric acid and its condensates. It shall contain not less than seven percent (7%) source of slowly available nitrogen, magnesium, and available phosphate. (Official 1995) Magnesium Ammonium Phosphate is chiefly the animonium and magnesium P-23.
- Magnesium Potassium Phosphate is chiefly the magnesium and potassium double salt of orthophosphoric acid and its condensates. It shall contain not less than twenty one percent (21%) soluble potash, twelve percent (12%) magnesium and thirty six percent (36%) available phosphate. It is a source of slowly available potash, magnesium and available phosphate. (Official 1995) P-24.

ASSOCIATION OF AMERICAN PLANT FOOD CONTROL OFFICIALS

62

POTASH PRODUCTS (K₂O)

- The term Potash designates potassium oxide (K2O). (Official 1957) ₹ ∴
- soluble in aqueous ammonium oxalate, aqueous ammonium citrate, or water, according to an applicable AOAC International method. (Official 1986) χ. Έ
 - ŏ sulfate and sometimes (Official 1975) <u>Kainit</u> is a potash salt containing potassium and sodium chlorides magnesia with not less than twelve percent (12%) soluble potash (K_2O). 7.3
- Mine Run Potash Salts are potash salts containing a high percentage of chloride and from twenty percent (20%) to thirty percent (30%) soluble potash (K_2O). (Official 1951) ₹.
- Muriate of Potash (commercial potassium chloride) is a potash salt containing forty-eight percent (48%) to sixty-two percent (62%) soluble potash (K₂O) chiefly as chloride. (Official 1951) Α 5
- Nitrate of Potash (potassium nitrate) is chiefly the potassium salt of nitric acid. It shall contain not less than twelve percent (12%) nitrogen and forty-four percent (44%) soluble potash. (Official 1951) ж 6
- Nitrate of Soda and Potash (sodium and potassium nitrate) is chiefly the sodium and potassium salts of nitric acid. It shall contain not less than fifteen percent (15%) nitrate nitrogen, ten percent (10%) soluble potash and eighteen percent (18%) sodium. (Official 1952) ₹.
- Sullate of Potash-Magnesia is a potash salt containing not less than twenty-five percent (25%) soluble potash (K₂O) nor less than twenty- five percent (25%) sulfate of magnesia and not more than two and one-half percent (2.5%) chlorine. (Official 1950) Α.8
- Double Sulfate of Potash and Magnesia (Langbeinite) is a commercial product containing not less than twenty-one percent (21%) soluble potash (K₂O) nor less than fifty-three percent (53%) sulfate of magnesia and not more than two and one-half percent (2.5%) chlorine. (Official 1950) ₹.9
- Sulfate of Potash (commercial potassium sulfate) is a potash salt containing not less than forty-eight percent (48%) soluble potash (K2O), chiefly as sulfate, and not more than two and one-half percent (2.5%) chlorine. (Official 1950) K-10.
- <u>Kelp</u> (seaweed) is the dried marine algae of the botanical divisions of Rhodophyta (red algae), Phaeophyta (brown algae), and Chlorophyta (green algae). (Official 1992) **₹11.**

CALCIUM (Ca) and MAGNESIUM (Mg) PRODUCTS

- Agricultural Liming Materials means a product whose calcium and magnesium compounds are capable of neutralizing soil acidity. (Official 1976) <u>ن</u>
- High Calcic Liming Materials are liming materials containing at least twenty-five percent (25%) calcium. Further, at least ninety- one percent (91%) of the total calcium and magnesium is calcium. (Official 1976) نې ک
- High Magnesic Liming Materials are those containing at least six percent (6%) magnesium. Official 1976) S
- <u>Dolomite</u> is a material composed chielly of carbonates of magnesium and calcium in substantially equimolar (1-1.19) proportions. (Official 1950) 4.
- Ground Limestone (course-ground limestone) is calcic or dotomitic limestone ground sufficiently fine for effective use as a liming material. (Official 1950) Ç.5

Pulverized <u>Limestone</u> (fine-ground limestone) is the product obtained by grinding either calcitic or dolomitic limestone so that all materials will pass U.S. Standard No. 20 sieve (850 um opening) and at least seventy-five percent (75%) will pass a U.S. Standard No. 100 sieve (150 um opening). (Official 1989) ပ်

- <u>Alir-slaked Lime</u> is a product composed of varying proportions of the oxide, hydroxide, and carbonate of calcium, or of calcium and magnesium, and derived from exposure of quicklime. (Offlicial 1950) 5.
- <u>Hydrated Lime</u> is a dry product consisting chiefly of calcium and magnesium hydroxides. (Official 1950) 9
- Quick Lime, Burned Lime, Caustic Lime, Lump Lime, or Unslaked Lime are calcined materials comprised chiefly of calcium oxide in natural association with lesser amounts of magnesium, and which are capable of slaking with water. (Official 1950) တ်
- Ground Shells is the product obtained by grinding the shells of mollusks so that not less than fifty percent (50%) shall pass a U.S. Standard No. 100 sieve. The product shall also carry the name of the mollusk from which said product is made. (Official 1950) C-10
- Mari is a granular or loosely consolidated earthy material comprised largely of shell fragments and calcium carbonate precipitated in ponds. (Official 1958) ان
- Ground Shell Marl is the product obtained by grinding natural deposits of shell marl so that at least seventy-five percent (75%) shall pass a U.S. Standard No. 100 sieve (150 um opening). (Official C-12
- Waste Lime (by-product lime) is any industrial waste or by-product containing calcium or calcium and magnesium in forms that will neutralize acids. It may be designated by prefixing the name of the industry or process by which it is produced, i.e., gas-house lime, tanners' lime, acetylene lime. waste, lime-kiln ashes, calcium silicate, etc. (Official 1950) C-13
- Agricultural Stag is a fused silicate whose calcium and magnesium content is capable of neutralizing soil acidity and which is sufficiently fine to react readily in soil. (Official 1958) C-14
- Gypsum, Landplaster or Crude calcium sulfate is a product consisting chiefly of calcium sulfate with combined water (CaSO4,2H₂O) and is incapable of neutralizing soil acidity. It shall contain not less than seventy percent (70%) CaSO4,2H₂O. (Official 1981) C-15.
- Magnesium <u>Sulfate</u> is a product consisting chiefly of that material with or without combined water: epsom salts (MgSO₄,TH₂O), kieserite (MgSO₄,TH₂O) and calcined kieserite (MgSO₄). (Official 1958) C-16.
- Calcined Brucite is a magnesium product concentrated from brucite limestone. It consists chiefly of magnesium oxide with lesser amounts of calcium hydroxide, silicates and sesquioxides. (Official C-17.
- Pelletized Limestone is pulverized limestone that has been granulated by the addition of a water soluble binding agent. (Official 1996) C-18.

SULFUR (S) PRODUCTS

- See N-7 Sulfate of Ammonia. S.
- See N-8. Ammonium Sulfate Nitrate. S;
- See K-B. Sulfate of Potash-Magnesia. S-3
- See K-9. Double sulfate of potash and magnesium.

BEST AVAILABLE

8

Gypsum. See C-15. S-6.

Magnesium Sulfate. See C-16. 5-7.

Manganese Sulfate. See M-1. S-8

Ammonium Thiosulfate - See N-37. (Official 1990) S-9.

MANGANESE PRODUCTS (Mn)

<u>Manganese Sulfate</u>. The term manganese sulfate, when applied to an ingredient of a mixed fertilizer, shall designate anhydrous manganese sulfate (MnSO₄). (Official 1950) ₹

ASSOCIATION OF AMERICAN PLANT FOOD CONTROL OFFICIALS

MODEL AGRICULTURAL LIMING MATERIALS BILL (Official 1973)

ś
rials
ē
Ē
Ξ
5
`₹
≔
ā
⋽
f agricult
.2
ğ
f agric
0
굨
Š
ō
ਲ
abeling and sale of
.⊑
labelin
ल
ے
.ō
ij
-6
TS.
ö
ഉ
å.
횰
굩
ಕ್ಷ
9
t to regulate th
ij
4

Be it enacted by the General Assembly of the state of

Section 1.

This act shall be known and may be cited as "The Agricultural Liming Materials Act". This act shall be administered by of the State of herein referred to as the

Definitions of terms - As used in this Act: Section 2.

- "Agricultural Liming Materials" means a product whose calcium and magnesium compounds are capable of neutralizing soil acidity <u>[and which is used for that</u> purpose]. (Tentative 1997) B
- "Limestone" means a <u>[an agricultural liming]</u> material consisting essentially of calcium carbonate with magnesium carbonate capable of neutralizing soil acidity. (Tentative 1997) 9
- "Burnt Lime" means a <u>[calcined material comprised chiefly of calcium oxide in natural association with lesser amounts of magnesium, and which is capable of slaking with water] material made from limestone which consists essentially of calcium oxide or a combination of calcium oxide with magnesium oxide. (Tentative</u> છ
- "Hydrated Lime" means a [dry] material made from burnt lime[.] , which consists of calcium hydroxide or combination of calcium hydroxide with magnesium oxide and/or magnesium hydroxide (Tentative 1997) T
- (e)
- be designated by prefixing the name of the industry or process by which it is produced, i.e., gas-house lime, tanners' lime, acetylene lime-waste, lime-kiln ashes, calcium silicate, etc.) (Tentative 1997) "Industrial By[Co]-Product" means any industrial waste or by-product containing calcium or calcium and magnesium in forms that will neutralize soil acidity. [It max ε
- "Brand" means the term, designation, trademark, product name or other specific designation under which individual agricultural liming material is offered for sale. <u>6</u>
- lineness.) (Official 1987) Ξ
- "Ton" means a net weight of 2,000 pounds avoirdupois. ϵ

BEST AVAILABLE COPY

- 'Percent" or "Percentage" means by weight. 9
- 'Bulk' means in nonpackaged form 3